




Tornador STEAM, 7 bar

Part no.	Item No.	Description	Quantity
1	UADZ0016	Earthing sticker	1
2	UADZ2508	QV6-G2000 front pannel label	1
3	UANP0000	Fixing ring of power cable	1
4	UBLP0008	Cable connector	1
5	UCB22600	Wiring for Steam	1
6	UCB25700	Wiring hot water function	1
7	UCNP0000	Faston cover	2
8	UCNP0003	Female connector 5 poles	1
9	UCT40000	Polished Genovese Chain No.10	0,2
10	UCV2SK04	Power Cable with Plug	1
11	UDA00000	Brass Nut DIN 985 M4	2
12	UDA00004	Brass Nut UNI 5588 M4	2
14	UDA40003	Inox Nut 5588 M3 A2	1
15	UDA40004	Inox Nut 5588 M8 A2	4
16	UDAP0000	Black Nut PG11	1
17	UDAP0003	Plastic Nut M3 Open	4
18	UEV20012	Electrovalve	2
19	UFA20002	Male faston	2
20	UFAP0008	Plastic clamp 98x2,5	18
21	UFIP0001	Pump Filter	1
22	UFIP0002	Filter tank	1
23	UGN00010	Water protection washer for water D=30	1
24	UGN00012	Boiler cap gasket	1
25	UGO60004	U-Profile rubber protection	1,66
26	UGOG5000	Anti-vibration support	2
27	UIN20008	Main switch	1
28	ULRZ0014	Melanine Insulator 10 mm thick + glass fabric QV6-G2000-C3000	1
29	ULRZ0015	Melanine Adhesive Insulator 160X105mm thickness 10mm	1
30	UMBN0002	Steam socket shells upper and lower	1
31	UMBN0003	Anti-splash cover plus spring	1
32	UMNP0004	Plastic handle	1
34	UOR14475	Epdm dielectric o-ring 120.24X3.53	1
35	UOR32037	Viton o-ring 9.25X1.78	2
36	UPMN0000	Steam regulator knob	1
37	UPO20004	Pump	1
38	UPR25000	Pressure switch 8 bar	1
39	URA10005	Straight fitting M 1/8 with ogive d=6 nickel-plated brass	2
40	URA10006	L-connector male 1/4 with ogive d=6 nickel-plated brass	2
41	URA10009	L-connector male 1/8 with ogive d=6 nickel-plated brass	2
42	URA10017	Adapter Male 1/8 - Female 1/8 gas nickel-plated brass	1

Tornador STEAM, 7 bar

43	URA10018	Adapter Male 1/8 - Female 1/4 gas nickel-plated brass	1
44	URA10023	L-connector male 1/8 with ogive d=8 nickel-plated brass	2
45	URA10041	Y-connector 3 Female 1/8 gas nickel-plated brass	1
46	URA10043	Steam connection Male threaded 1/8 type NA	1
47	URA10069	L-connector 1/8 Male 1/4 conical nickel-plated brass	2
48	URA20008	Reinforcement sleeve d=4 outside raw brass	9
49	URA20004	Reinforcement sleeve d=6 outside raw brass	2
50	URAN0011	Cable reel	2
51	URAP0015	Nylon safety outlet fitting version QV6-G2000	1
52	URB20001	Steam regulating tap 1/8gf-1/8gf	1
53	URO00007	Stainless steel washer UNI 6593 wide 6x18x1.5 M6 A2	2
54	URO00009	Stainless steel washer wide 4x16x1 M4	2
55	URO40002	Notched washer 4.3X8X0.5	3
56	URO40005	Serrated washer 3.2X6X0.4 for M3 pin	1
57	URO40006	Stainless steel washer UNI6592 flat M8 A2	8
58	URO40008	Washer 8.5X30X1.5 rounded flat galvanised	4
59	URO60000	Aluminium washer 1/8-10x14x1.5	2
60	URO60001	Aluminium washer 1/4 - 13,5x18x1,5	1
61	URUN0008	Swivel wheel for QV6-G2000	4
62	URV60002	Aluminium rivet 3.0X8 UNI9200 round	1
63	USEP0001	Refill water tank QV6-G2000-C3000	1
64	USH23512	3-digit display	1
65	USH23514	QV4-QV6-G2000 Main electronic board	1
66	USI02004	QV6-G2000 raised lower body	1
67	USS02004	QV6-g2000 raised upper body	1
68	UST00000	Bracket 1 hole for thermostat	2
69	USU02600	Tank support QV6-G2000 aisi 430	1
70	USU02601	Fan support Aisi 430 for G2000 7 bar	1
71	USUP5001	Steam tap baseplate	1
72	UTAN0001	Refill tank cap	1
73	UTE20003	Thermoprotector	1
74	UTE20007	Thermostat One-shot	2
75	UTUP0012	Silicone tube d=8x4	0,65
76	UTUP0015	PTFE Teflon tube 6X4 mm	0,93
77	UTUP0020	Silicone tube d=6x9 mm	0,33
78	UTUP0023	PTFE Teflon tube 6X8 mm	0,26
79	UVA20003	Safety valve 10 bar 1/4 M	1
80	UVAM0000	Trigger valve S11 brass	1
81	VVEG2000	Axial fan 230V 60X60X25 mm G2000	1
82	UVI40006	Self-tapping cross head screw 4X20 for plastic, galvanised black	6

83	UVI40007	Self-tapping cross head screw 4X12 for plastic, galvanised black	4
84	UVI40010	Stainless steel screw UNI 5739 hexagonal head M6x10 A2	2
85	UVI40013	Self-forming screw for aluminium galvanised M 5x8 cross head	3
86	UVI40054	Self-tapping screw DIN 7981 cross head tx10 2.9X6.5 galvanised	13
87	UVI40055	Self-tapping screw DIN 7981 cross head 4,8X9,5 galvanised	2
88	UVI40057	Self-tapping screw DIN7981 Torx 10 2.9X9.5 galvanised	5
89	VCA25300	Cylindrical boiler d=145 h=105 internal heating element 230V 2200+1000W thickness 2 mm with drain	1
90	YSO03500	Level sensor complete for version QV6-G2000 1/8 M l=78	1